Physics of the Earth and Planetary Interiors, 51 (1988) 390–392
Elsevier Science Publishers B.V., Amsterdam – Printed in The Netherlands

CONTENTS VOLUME 51, 1988

Special Issue: Anisotropy and Inhomogeneity of the Lithosphere and Asthenosphere
Guest Editors: V. Babuška, J. Plomerová, V. Červený and R.C. Liebermann

Preface vii
Contents ix

Research Papers and Extended Abstracts
Ray synthetic seismograms for a 3-D anisotropic lithospheric structure
D. Gajewski (Karlsruhe, F.R.G.) and I. Pšenčík (Prague, Czechoslovakia) 1
Studies of apparent and intrinsic Q in the 1-D case
G. Müller (Frankfurt, F.R.G.) 24
Applications of dynamic ray tracing
V. Červený, L. Klimeš and I. Pšenčík (Prague, Czechoslovakia) 25
Inhomogeneity versus anisotropy in the interpretation of seismic data
P. Firbas (Brno, Czechoslovakia) 36
Effects of anisotropy in southwest Germany on the propagation of surface waves
M. Grünewald (Karlsruhe, F.R.G.) 42
Developments toward computations of synthetic seismograms in laterally inhomogeneous anelastic media
S. Gregersen (Charlottenlund, Denmark), G.F. Panza and F. Vaccari (Trieste, Italy) 55
A method for joint interpretation of the phase and group surface-wave velocities to estimate lateral variations of the Earth's structure
T.B. Yanovskaya, P.G. Ditmar (Leningrad, U.S.S.R.), R. Maaz and H. Neunhöfer (Jena, G.D.R.) 59
Lateral variations of the upper mantle structure in southeastern Europe and Asia Minor as derived from travel-time data
S.B. Nikolova (Sofia, Bulgaria), V.S. Gobarenko (Simferopol, U.S.S.R.) and T.B. Yanovskaya (Leningrad, U.S.S.R.) 68
Detection of three-dimensional velocity anisotropy
K. Hirahara (Kyoto, Japan) 71
Elastic behavior of magnetic oxides from acoustic and static compression studies
R.C. Liebermann and A.R. Remsberg (Stony Brook, NY, U.S.A.) 86
Seismic observations of the anisotropy of sediments
A.V. Trigubov and S.B. Gorshkalev (Novosibirsk, U.S.S.R.) 93
Interpretation of tectonic stress orientation on the basis of laboratory model experiments
A. Špičák (Prague, Czechoslovakia) 101
The role of recrystallization in the preferred orientation of olivine
S. Karato (Tokyo, Japan) 107
Rheological implications of the dissolution of volatiles in mantle olivine
H.W. Green II (Davis, CA, U.S.A.) 123
Bohemian Massif granulites: possible representatives of anomalous lower crust
J. Fiala, O. Matějovská and V. Vaňková (Prague, Czechoslovakia) 125
An anisotropic image of the oceanic upper mantle
I. Kawasaki (Toyama, Japan) 128
Subcrustal continental lithosphere: a model of its thickness and anisotropic structure
V. Babuška and J. Plomerová (Prague, Czechoslovakia) 130

0031-9201/87/$03.50 © 1987 Elsevier Science Publishers B.V.

3-D velocity structure beneath France in different frequency bands
M. Granet and M. Cara (Strasbourg, France) 133
A geodynamic model for the lithosphere of the Swiss Alps
D. Werner and E. Kissling (Zürich, Switzerland) 153
Deep structure of the Bohemian Massif from phase velocities of Rayleigh and Love waves
E. Wielandt, A. Sigg (Zürich, Switzerland), A. Plešinger and J. Horálek (Prague, Czechoslovakia) . 155
Observation of anisotropy of Love waves crossing the Eurasian continent
H. Neunhöfer and P. Malischewsky (Jena, G.D.R.) 157
Lithosphere thickness in the contact zone of the Moldanubicum and Saxothuringicum in central Europe
J. Plomerová and V. Babuška (Prague, Czechoslovakia) 159
Review of selected G.D.R. activities and results from complex geophysical investigations into inhomogeneities and anisotropy of the lithosphere and upper mantle
P. Bormann (Potsdam, G.D.R.) 166
Investigation of inhomogeneities and anisotropy in the crust and upper mantle of central Europe by means of teleseismic P waves
K. Wylegalla, P. Bormann and M. Baumbach (Potsdam, G.D.R.) 169
Earthquakes and their relation to basement structures in Central Europe
D. Procházková, A. Dudek and Z. Mísař (Prague, Czechoslovakia) 179
Seismic model of the Earth's crust and upper mantle for the east European platform
M. Grad (Warsaw, Poland) 182
A preliminary stripped gravity map of the Pannonian Basin
M. Bielik (Bratislava, Czechoslovakia) 185
Inhomogeneity and anisotropy of the lithosphere for the territory of the U.S.S.R.
N.I. Pavlenkova (Moscow, U.S.S.R.) 190
Crust and upper-mantle inhomogeneities beneath the central part of the Balkan region
E.A. Botev (Sofia, Bulgaria), Ju.A. Burmakov, A.V. Treussov and L.P. Vinnik (Moscow, U.S.S.R.) 198
A study of the lithosphere in Bulgaria based on factor analysis
E. Spassov, N. Dotzev, S. Shanov and A. Andreev (Sofia, Bulgaria) 211
Travel-time residuals and velocity structure beneath Italy
R. Maresca (Castiglione Scalo, Italy) and R. Scarpa (Rome, Italy) 214
Crustal parameters in the Iberian Peninsula
E. Banda (Barcelona, Spain) 222
Lateral inhomogeneities of the Hercynian crust in central Spain
E. Suriñach and R. Vegas (Madrid, Spain) 226
P-wave velocity–depth distribution in the Hercynian crust of northwest Spain
D. Córdoba (Madrid, Spain), E. Banda (Barcelona, Spain) and J. Ansorge (Zürich, Switzerland) . . 235

Special Issue: Symposia on Magnetic Fabrics
Guest Editors: B.B. Ellwood, F. Hrouda and J.-J. Wagner

Contents iii
Symposia on magnetic fabrics: introductory comments
B.B. Ellwood (Arlington, TX, U.S.A.), F. Hrouda (Brno, Czechoslovakia) and J.-J. Wagner (Geneva, Switzerland) 249

Research Papers
The magnetic fabrics of the Egletons granite (France): separation and structural implications
B. Henry (Saint-Maur, France) 253
Anisotropy of magnetic susceptibility as a strain gauge in the Flamanville granite, NW France
J.P. Cogné and H. Perroud (Rennes, France) 264
Parallel magnetic fabrics in metamorphic, granitoid and sedimentary rocks of the Branisko and Čierna hora Mountains (E Slovakia) and their tectonometamorphic control
F. Hrouda, J. Hanák (Brno, Czechoslovakia) and S. Jacko (Košice, Czechoslovakia) 271
Magnetic susceptibility anisotropy of mylonites from the Brevard Zone, North Carolina, U.S.A.
A.G. Goldstein (Hamilton, NY, U.S.A.) and L.L. Brown (Amherst, MA, U.S.A.) 290
Magnetic fabric of peridotite with intersecting petrofabric surfaces, Tinaquillo, Venezuela
W.D. MacDonald (Binghamton, NY, U.S.A.) and B.B. Ellwood (Arlington, TX, U.S.A.) 301
Variations of petromagnetic fabric parameters of some Antarctic metamorphic rocks in the light of changes in the mineralogical and geochemical content
V. Damm and G. Andrehs (Potsdam, G.D.R.) 313
Comparative measurements of magnetic susceptibility anisotropy in red sandstones
F. Heller (Zurich, Switzerland) and T. Schultz-Krutisch (Würzburg, F.R.G.) 320
A magnetic signature of bottom current erosion
P.B. de Menocal, E.P. Laine (Narragansett, RI, U.S.A.) and P.F. Ciesielski (Gainesville, FL, U.S.A.) 326
Anisotropy of magnetic susceptibility in a weak magnetic field induced by stress
A, Kapička (Prague, Czechoslovakia) 349
Strain to anisotropy correlations corrected for the Digico calibration error
J.S. Rathore (Trondheim, Norway) 355
Potential energy density tensor and magnetic anisotropy problems
V. Jelínek (Brno, Czechoslovakia) 361
The measurement of anisotropy of magnetic susceptibility using a cryogenic (SQUID) magnetometer and a comparison with results obtained from a torsion-fiber magnetometer
V.A. Schmidt, T. Nagata (Pittsburgh, PA, U.S.A.), B.B. Ellwood (Arlington, TX, U.S.A.) and H.C. Noltimier (Columbus, OH, U.S.A.) 365
Identification of multicomponent anisotropies in rocks using various field and temperature values in a cryogenic magnetometer
P. Rochette and G. Fillion (Grenoble, France) 379
An automated torque meter for rapid measurement of high-field magnetic anisotropy of rocks
J. Parma (Brno, Czechoslovakia) 387

Contents of Volume 51 390